

References

Dahlman I, Eaves IA, Kosoy R, et al. (2002): Parameters for reliable results in genetic association studies in common disease. *Nature Genetics*, 30(2):149-150.

Daly AK: Genome-wide association studies in pharmacogenomics. *Nat Rev Genet*, 11(4):241-6, 2010.

Frangakis CE, Rubin DB: Principal stratification in causal inference. *Biometrics*, 58(1): 21-29, 2002.

French B, Saha-Chaudhuri P, Ky B, Cappola TP, Heagerty PJ: Development and evaluation of multi-marker risk scores for clinical prognosis. *Statistical Methods in Medical Research* (in press)

Friedman J, Hastie T, Tibshirani R: Regularization paths for generalized linear models via coordinate descent.

J. Statistical Software, 33(1): 1-22, 2005.

Golub et al. : Molecular classification of cancer: class discovery and class prediction by gene expression monitoring. *Science*, 286: 531-536, 1999.

Gunter L, Zhu J, Murphy S: Variable selection for optimal decision making. *Artificial Intelligence in Medicine*, 4594: 149-154, 2007.

Hastie T, Tibshirani R: Varying coefficient models. *JRSS-B*, 55(4): 757-796, 1993.

Heagerty PJ, Lumley T, Pepe MS: Time dependent ROC curves for censored survival data and a diagnostic marker. *Biometrics* 56:337-344, 2000.

Heagerty PJ, Zheng Y: Survival model predictive accuracy and ROC curves. *Biometrics*. 61(1): 92-105, 2005.

Hoerl AE: Application of ridge analysis to regression problems. *Chemical Engineering Progress*, 58: 54-59, 1962.

Hoggart CJ, et al. : Genome-wide significance for dense SNP and resequencing data. *Genetic Epidemiology*, 32: 179-185, 2008.

Janes H, Pepe MS, McShane LM, Sargent DJ, Heagerty PJ: The fundamental difficulty with evaluating the accuracy of biomarkers to guide treatment. *JNCI* (to appear)

Jarvik JG, et al. : Surgery versus non-surgical therapy for carpal tunnel syndrome: a randomized parallel group trial. *Lancet*, 374(9695): 1074-1081, 2009.

Kallmes DF, Comstock B, Heagerty PJ, et al. : A randomized controlled trial of vertebroplasty for osteoporotic

compression fractures. *New England Journal of Medicine*, 361(6): 569-579, 2009.

Kooperberg C, LeBlanc M, Obenchain V: Risk prediction using genome-wide association studies. *Genetic Epidemiology*, 34: 643-652, 2010.

Mandrekar SJ, Sargent DJ: Clinical trial designs for predictive biomarker validation: theoretical considerations and practical challenges. *Journal of Clinical Oncology*, 27(24): 4027-4034, 2009.

Nyholt DR: A simple correction for multiple testing for single-nucleotide polymorphisms in linkage disequilibrium with each other. *Am. J. Human Genetics*, 74: 765-769, 2004.

Risch NJ: Searching for genetic determinants in the new millennium. *Nature*, 405(6788):847-56, 2000.

Risch N, Merikangas K: The future of genetic studies of complex human diseases. *Science*, 273: 1516-1517,

1996.

Saha P, Heagerty PJ: Time-dependent predictive accuracy in the presence of competing risks. *Biometrics*, 66(4): 999-1011, 2010.

Saha P, Heagerty PJ: Non-parametric estimation of a time-dependent predictive accuracy curve. *Biostatistics*, 14(1): 42-59, 2013.

Saha P, Heagerty PJ: Dynamic thresholds and a summary ROC curve: assessing the prognostic accuracy of longitudinal makers. (submitted)

Schneeweiss S, Rassen JA, Glynn RJ, Avorn J, Mogun H, Brokhart MA (2009): High-dimensional propensity score adjustments in studies of treatment effects using health care claims data. *Epidemiology*, 20: 512-522.

Simon R: Development and validation of biomarker classifiers for treatment selection. *Journal of Statistical Planning and Inference*, 138: 308-320, 2008.

Sitlani C, Heagerty PJ: Longitudinal structural mixed models for characterizing the accuracy of markers used to select treatment. *Statistics in Medicine*, 33(17): 2881-96, 2014.

Sitlani C, Heagerty PJ, Blood E, Tosteson T: Longitudinal structural mixed models for the analysis of surgical trials with non-compliance. *Statistics in Medicine*, 31(16): 1738-60, 2012.

Skrivankova V, Heagerty PJ: Evaluation of markers used to select treatment. (submitted)

Tibshirani R: Regression shrinkage and selection via the lasso. *JRSS-B*, 58(1): 267-288, 1996.

Wakefield JC: Bayes factors for genome-wide association studies: comparison with P-values. *Genetic*

Epidemiology, 33(1):79-86, 2009.

Wu TT, Chen YF, Hastie T, Sobel E, Lange K: Genome-wide association analysis by lasso penalized logistic regression. *Bioinformatics*, 25(6): 714-721, 2009.

Zheng Y, Heagerty PJ: Semiparametric estimation of time-dependent ROC curves for longitudinal marker data. *Biostatistics* 5(4): 615-632, 2004.

Zheng Y, Heagerty PJ: Partly conditional survival models for longitudinal data. *Biometrics*, 61(2): 379-391, 2005.

Zheng Y, Heagerty PJ: Prospective accuracy for longitudinal markers. *Biometrics* 63(2): 332-341, 2007.

Zou H, Hastie T: Regularization and variable selection via the elastic net. *JRSS-B*, 67(2): 301-320, 2005.

